NOTICE OF MEETING

HARRIS COUNTY MUNICIPAL UTILITY DISTRICT NO. 18

The Board of Directors of Harris County Municipal Utility District No. 18 will hold a regular meeting on <u>Monday, July 10, 2023, at 9:30 a.m.</u>, at the offices of Baxter **Woodman, Inc., 11450 Compaq Center Drive, Suite 660, Houston, TX 77070,** to discuss and, if appropriate, act upon the following items:

- 1. Receive comments from the public.*
- 2. Approve minutes of prior meetings.
- 3. Security matters, including renewal of Interlocal Agreement with Harris County for Law Enforcement Services.
- 4. Renewal of District's insurance policies, including review of engineer's list of District facilities to be insured.
- 5. Financial and bookkeeping matters, including:
 - a. payment of the bills and review of investments;
 - b. discuss Association of Water Board Directors summer conference, approve reimbursement of eligible expenses, and authorize attendance at winter conference; and
 - c. Director per diems.
- 6. Tax assessment and collection matters, including:
 - a. delinquent tax collections, installment agreements, and payment of tax bills;
 - b. adopt Resolution Regarding Development Status for 2023 Tax Year; and
 - c. Amendment to Information Form.
- 7. Engineering matters, including:
 - a. design of District facilities;
 - approve plans and specifications and authorize advertisement for bids:
 i. fence replacement at Malcomson Road water plant;
 - c. review bids and award contracts;
 - d. approve pay estimates, change orders, and final acceptance, as appropriate:
 - i. sanitary sewer system cleaning and televising program, area III;
 - e. service requests and repairs of District facilities;
 - f. North Harris County Regional Water Authority matters;
 - g. permitting, maintenance, and operation of storm water drainage facilities in Hidden Falls;
 - h. capital improvement plan and project status summary;
 - i. emergency interconnect with Malcomson Road Utility District; and
 - j. consent to encroachment.
- 8. Operation of District facilities, including:
 - a. summary of customer service issues;

1110082

Persons with disabilities who plan to attend this meeting and would like to request auxiliary aids or services are requested to contact the District's attorney at (713) 860-6400 at least three business days prior to the meeting so that the appropriate arrangements can be made.

- b. billings, repairs and maintenance, correspondence, and message language on water bills;
- c. report on surface water usage;
- d. water quality matters;
- e. smart water meter matters;
- f. hearing on termination of water and sewer service to delinquent customers and authorize termination of service;
- g. proposal for valve survey;
- h. proposal for non-skid tape on ground storage tank roof at Malcomson Road water plant;
- i. replacement of generator at Malcomson Road water plant; and
- j. Emergency Response Plans and training.
- 9. North Harris County Regional Water Authority matters.
- 10. Lake Forest Plant Advisory Council matters.
- 11. District website and communication matters.
- 12. Report regarding legislative matters.

M Oliver

Attorney for the District



*Comments from the public will be limited to 3 minutes each speaker.

Harris County Municipal Utility District No. 18 reserves the right to adjourn into executive session at any time during the course of this meeting to discuss any of the matters listed above, as authorized by the Texas Open Meetings Act, Texas Government Code §§ 551.071 (Consultation with Attorney), 551.072 (Deliberations about Real Property), 551.073 (Deliberations about Gifts and Donations), 551.074 (Personnel Matters), 551.076 (Deliberation about Security Devices), and any other provision under Texas law that permits a governmental body to discuss a matter in a closed executive session.

Persons with disabilities who plan to attend this meeting and would like to request auxiliary aids or services are requested to contact the District's attorney at (713) 860-6400 at least three business days prior to the meeting so that the appropriate arrangements can be made. 1110082